www.cnet.com.tw

Established in California, U.S.A. since 1987

CWP-905

Wireless-N Broadband Router

Quick Installation Guide

Internet Setup

What's included in the box

- □ CWP-905 Wireless-N PCI Adapter
- □ Quick Installation Guide
- □ Setup Utility & User Manual on CD-ROM

Step 1: Software Installation

Insert product CD to your PC. At the welcome screen, please click *Driver* to install the device driver & utility. Follow the Wizard steps and click *Next* to continue.

If you do not see the welcome screen, go to Start>My Computer and click to open CD-ROM drive. Then double click autorun.exe and wait a few seconds for the welcome screen to show up.

Step 2: Shut down your computer

Once the installation is finished, shut down your computer.



Step 3: Insert the PCI adapter

Unplug the computer, open the case, and install the CWP-905 PCI adapter into a PCI slot. Connect the antennas to the adapter.

Close the case, plug the power cord back in, and restart your computer.



Step 4: Connect to Wireless Network

To connect to a wireless network, double click on the Wireless LAN Utility icon in the system tray or go to **Start > All Programs > CNet Wireless LAN Utility > CNet Wireless LAN Utility**.



Icon in System Tray

Click on Site Survey button to view all the access points within range of the adapter. Double Click on the Access Point's SSID to join the network. If the wireless network you selected requires security, the utility will guide you through the appropriate security setup.



Once a check mark appears beside the SSID, you have successfully set up your wireless network on your PC.



Technical Information

LED Status Lights

READY (Green) Signifies that the adapter is ready to be connected to a wireless network.

ACT(Red) Blinking indicates traffic.



Unable to connect to a wireless network?

1. Ensure that the LEDs of your router are correctly lit.
   - ► Check whether your Wireless LAN settings (e.g. SSID, Channel Number) are the same as the router's.
   - ► Check whether you use the same encryption key (e.g. WEP or WPA) for both CWP-905 and the router.
2. Make sure that your CWP-905 is correctly installed.
   - ► The LEDs on CWP-905 should be lit. If not, (i) there could be a hardware problem, or (ii) CWP-905 is disabled or (iii) device driver is not installed properly.

For additional information, please visit the product website: **www.cnet.com.tw** or **www.cnetusa.com**

12-06G0405-B1

www.cnet.com.tw

Establecida in California, U.S.A. since 1987

CWP-905

Wireless-N Broadband Router

Guía De Instalación Rápida

Internet Setup

Contenido De La Caja

- □ CWP-905 Wireless-N PCI Adapter
- □ Guía de instalación rápida
- □ Utilidad de instalación y manual de usuario en CD-ROM

Paso 1: Instalación De Software

Inserte el CD del producto a su PC. En la pantalla de bienvenida, por favor haga clic en controladores para instalar el controlador de dispositivo y de Servicios públicos. Siga los pasos del asistente y haga clic en *Siguiente* para continuar.

Si no ve la pantalla de bienvenida, vaya a Inicio> Mi PC y haga clic para abrir la unidad de CD-ROM. A continuación, haga doble clic en autorun.exe y esperar unos segundos para que la pantalla de bienvenida aparezca.

Paso 2: Apague su ordenador

Una vez finalizada la instalación, apague el ordenador.



Paso 3: Inserte el adaptador PCI

Desconecte el ordenador, abra el chasis, e instale el adaptador PCI CWP-905 en una ranura PCI. Conecte las antenas para el adaptador.

Cierre la caja, conecte el cable de alimentación de nuevo, y reinicie el equipo.



Paso 4: Conecte a una red Wireless

Para conectarse a una red inalámbrica, haga doble clic en el icono de LAN inalámbrica en la bandeja de sistema o vaya a **Inicio> Todos los programas> CNet Wireless LAN Utility> CNet Wireless LAN Utility**.



Icono en bandeja de sistema

Haga clic en Site Survey para ver todos los puntos de acceso dentro del alcance del adaptador. Haga doble clic en el SSID del punto de acceso para entrar en la red. Si la red inalámbrica que seleccionó requiere seguridad, la utilidad le guiará a través de la configuración de seguridad adecuada



Una vez que aparece una marca al lado del SSID, indica que ha logrado configurar la red inalámbrica en su PC.

Información Técnica

Luces LED Status

READY (Green) Significa que el adaptador está listo para ser conectado a una red inalámbrica.

ACT(Red) Intermitente indica tráfico.



No se puede conectar a una red inalámbrica?

1. Asegúrese que los indicadores LEDs en su router están correctamente iluminados.
   - ► Compruebe si la configuración de LAN Inalámbrica (ejem. SSID, Channel Number) son los mismos que el router.
   - ► Compruebe si se utiliza la misma clave de cifrado (ejem. WEP o WPA) para el CWP-905 y el router.
2. Asegúrese que su CWP-905 se instaló correctamente.
   - ► Los LEDs de CWP-905 debe estar encendida. Si no es así, (i) que podría haber un problema de hardware, o (ii) CWP-905 está deshabilitado o (iii) el controlador de dispositivo no está instalado correctamente.

Para obtener información adicional, por favor visite el sitio web del producto: **www.cnet.com.tw** o **www.cnetusa.com**

12-06G0405-B1